

Liberty 2024 Video Products

Quality. Value. Delivered.

Full Line of NDAA compliant IP and Analog Recorders and Cameras, Security Monitors, Power Supplies & Accessories





Network Video Recorders with AI

L3 Series NVR's feature:

- NDAA Compliance
- Supports AI Face, Body & Vehicle Recognition*
- 7 Intelligent Analytics
- Up to 8 Megapixel Recording (4, 8, 16Ch)
- Up to 12 Megapixel Recording (32 Ch)
- Real-Time 30FPS Recording
- Up to 48TB Storage Capacity (32 Ch)
- Integrated POE Switches (16 POE for 32Ch)
- Free Liberty-View App & CMS Software
- Plug & Play with Liberty L3 & Northern N2 Cameras
- Accepts Onvif Protocols
- Included Rack Ears (8, 16, 32Ch)



4ch 2TB NVR

- 4ch, 40W POE
- 2TB Installed Storage

L3NVR4POE2T
10384446

8ch NVR

- 8ch, 120W POE
- 2TB Installed Storage

L3NVR8POE2T
10384448

16ch NVR

- 16ch, 120W POE
- 2TB Installed Storage

L3NVR16POE2T
10384450

16ch NVR

- 16ch, 120W POE
- 4TB Installed Storage

L3NVR16POE4T
10384451

32ch NVR

- 16ch, 140W POE
- No Storage

L3NVR3216POE
10384452

* For use with Liberty L3 Series AI IP Cameras

4MP IP Cameras with AI

L3 Series 4MP Cameras feature:

- NDAA Compliant
- H.264 & H.265 Compression
- 7-Intelligent Analytic Features
- Supports AI Face, Body & Vehicle Recognition*
- Plug & Play with Liberty L3, Northern N2/N3 NVRs
- Onvif Conformant
- SD Card Capability (256GB)
- True 120dB Wide Dynamic Range
- IR LED or White Light LED Models
- IP66 or IP67 Outdoor Rated



L3 Series AI 4MP IP Outdoor Bullet Camera

- Fixed Focal 2.8mm IR Lens
- 4 High Power IR LED - 100' IR Range
- IP67

L3IP4BS
10384483



L3 Series AI 4MP IP Outdoor Varifocal Dome Camera

- Autofocus 2.7~13.5mm IR Lens, 4 High Power IR LED's - 120' IR Range
- Audio Line In/Out & Alarm
- IK10 Rated & IP66 Weatherproof

L3IP4VFDS
10384488



L3 Series AI 4MP IP Outdoor Dome Camera

- 2.8mm or 4mm IR Lens
- 2 High Power IR LED - 100' Range
- Audio Line In/Out & Alarm
- IP67/IK10 Ratings

- 2.8mm
L3IP4DS
10384484



- 4mm
L3IP4DS4
10384485



L3 Series AI 4MP IP Outdoor Varifocal Bullet Camera

- Autofocus 2.7~13.5mm IR Lens, 4 High Power IR LED's - 120' IR Range
- Audio Line In/Out & Alarm
- IP67 Weatherproof

L3IP4VFBS
10384489



L3 Series AI 4MP IP Outdoor Turret Camera

- 2.8mm or 4mm IR Lens
- Built-in Mic & Alarm
- 3 High Power IR LED - 100' IR Range
- IP66

- 2.8mm
L3IP4TS
10384486



- 4mm
L3IP4TS4
10384487



L3 Series AI 4MP IP Outdoor Turret Camera

- Fixed 2.8mm Lens
- Built-in Mic & Alarm
- Full Color, 3 White Light LED - 100' Range
- IP66 Weatherproof

Full Color

L3IP4TFCS
10384491



L3 Series AI 4MP IP Outdoor PTZ Camera

- 4MP Resolution (2592 x 1520)
- 30x Optical Zoom (5.3 ~ 159mm)
- 10 High Power IR LED
- 600' IR Range
- Intelligent Auto Tracking
- 360° Endless Panning
- 400 Preset Positions
- 6 Tracks, 12 Tours, 12 Scans
- 7 Alarm Inputs / 2 Outputs
- -40° Operating Temp
- Built-in Heater & Fan
- 256GB SD Card Capability
- H.265 Recording Compression
- Audio Line In/Out & Alarm
- Onvif Profile S/G/T Compliant
- IP66 Weatherproof

L3IP4PTZ30XS
10384490

* For use with Liberty L3 Series AI NVRs



8MP IP Cameras with AI

L3 Series 8MP Cameras feature:

- NDAA Compliant
- H.264 & H.265 Compression
- 7-Intelligent Analytic Features
- Supports AI Face, Body & Vehicle Recognition*
- Plug & Play with Liberty L3, Northern N2/N3 NVRs
- Onvif Conformant
- SD Card Capability (256GB)
- True 120dB Wide Dynamic Range
- IR LED or White Light LED Models
- IP66 or IP67 Outdoor Rated



L3 Series AI 8MP IP Outdoor Bullet Camera

- Fixed Focal 2.8mm IR Lens
- 4 High Power IR LED - 100' IR Range
- IP67



L3IP8BS
10384492

L3 Series AI 8MP IP Outdoor Dome Cameras

- 2.8mm or 4mm IR Lens • 2 High Power IR LED - 100' Range
- Audio Line In/Out & Alarm • IP67/IK10 Ratings



- 2.8mm
L3IP8DS
10384493



- 4mm
L3IP8DS4
10384494

L3 Series AI 8MP IP Outdoor Turret Cameras

- Fixed Focal 2.8mm IR Lens • Built-in Mic & Alarm
- 3 High Power IR LED - 100' IR Range
- IP66



- 2.8mm
L3IP8TS
10384495



- 4mm
L3IP8TS4
10384496

L3 Series AI 8MP IP Outdoor Varifocal Dome Camera

- Autofocus 2.7~13.5mm IR Lens, 4 High Power IR LED's - 120' IR Range
- Audio Line In/Out & Alarm
- IK10 Rated & IP66 Weatherproof



L3IP8VFDS
10384499

L3 Series AI 8MP IP Outdoor Varifocal Bullet Camera

- Autofocus 2.7~13.5mm IR Lens, 4 High Power IR LED's - 120' IR Range
- Audio Line In/Out & Alarm
- IP67 Weatherproof



L3IP4VFBS
10384498

L3 Series AI 8MP IP Outdoor Wedge Camera

- Fixed 2.8mm IR Lens • Built-in Mic & Alarm
- 12 IR LED - 45' IR Range
- IP66 Weatherproof



L3IP8WS
10384497

L3 Series AI 8MP IP Outdoor Turret Camera

- Fixed 2.8mm Lens • Built-in Mic & Alarm
- Full Color, 4 White Light LED - 100' Range
- IP66 Weatherproof

Full Color



L3IP8TFCS
10384500

* For use with Liberty L3 Series AI NVRs

4 & 8 Channel AI NVR Multi-Camera Kits

L3 Series KIT NVR's Feature:

- NDAA Compliant
- Supports AI Face, Body & Vehicle Recognition*
- Up to 8 Megapixel Recording
- Real-Time 30FPS Recording



4ch / 4 Cam NVR Kit

- 4 Channel L3NVR w/ 2TB Storage
- 4x 4MP, 2.8mm, 100' Turret Cameras with Built-in Mic.

L3NVR4KIT4C
10384481



8ch / 6 Cam NVR Kit

- 8 Channel L3NVR w/ 2TB Storage
- 6x 4MP, 2.8mm, 100' Turret Cameras with Built-in Mic.

L3NVR8KIT6C
10384482

* For use with Liberty L3 Series AI IP Cameras



Hybrid HD Analog Digital Video Recorders

L3 Series Hybrid HD Analog Digital Video Recorders feature:

- NDA Compliance
- Compatible with TVI, CVI, AHD & 960H Formats
- Up to 5 Megapixel Recording @ 7FPS, 1080p @ 15FPS
- Full Hybrid - All Channels Analog or IP
- Up to 8TB (4Ch) or 16TB (8 & 16Ch) Storage Capacity
- H.265 Recording Compression
- Simultaneous HDMI & VGA Outputs
- Supports P2P Operation
- Built-in Audio
- Built-in Alarm (8 & 16Ch)
- Free Liberty-View App & CMS Software
- Included Rack Ears (8 & 16Ch)



4ch HVR

- 2TB Installed

L3HVR42T
10384439

8ch HVR

- 2TB Installed

L3HVR82T
10384441

16ch HVR

- 2TB Installed

L3HVR162T
10384443

16ch HVR

- 4TB Installed

L3HVR164T
10384444

5MP Multi Format Cameras

LA Series 5MP Cameras feature:

- NDA Compliant
- Compatible with TVI, CVI, AHD, 960H
- IR LED or White Light LED Models
- Indoor & Outdoor Rated Housings
- True WDR or D-WDR Options
- UTC Control (Up the Coax)



LA Series 5MP Multi Format Outdoor Bullet Camera

- Fixed 2.8mm IR Lens / Up to 80' IR Range
- True 120dB Wide Dynamic Range
- IP67 Weatherproof

LA5BIR80
10384502



LA Series 5MP Multi Format Outdoor Turret Camera

- Fixed 2.8mm IR Lens / Up to 80' IR Range
- True 120dB Wide Dynamic Range
- IP66 Weatherproof

LA5TIR80
10384504



LA Series 5MP Multi Format Outdoor Turret Camera

- Fixed 2.8mm IR Lens / Up to 100' IR Range
- True 120dB Wide Dynamic Range
- IP66 Weatherproof

LA5TIR100
10384503



LA Series 5MP Multi Format Outdoor Turret Camera

- Fixed 2.8mm IR Lens / Full Color, 3 White Light LED - 100' Range
- True 120dB Wide Dynamic Range
- IP66 Weatherproof

Full Color

LA5TFC100
10384508



LA Series 5MP Multi Format Outdoor Varifocal Bullet Camera

- Auto Focus 2.7 ~ 13.5mm IR Lens / Up to 120' IR Range
- True 120dB Wide Dynamic Range
- IP67 Weatherproof

LA5VFBIR120
10384505



LA Series 5MP Multi Format Outdoor Bullet Camera

- Fixed 2.8mm IR Lens / Full Color, 2 White Light LED - 60' Range
- True 120dB Wide Dynamic Range
- IP66 Weatherproof

Full Color

LA5BFC60
10384509



LA Series 5MP Multi Format Outdoor Varifocal Dome Camera

- Auto Focus 2.7 ~ 13.5mm IR Lens / Up to 100' IR Range
- True 120dB Wide Dynamic Range
- IK10 Rated & IP66 Weatherproof

LA5VFDIR100
10384506



LA Series 5MP Multi Format Indoor Varifocal Dome Camera

- Auto Focus 2.7 ~ 13.5mm IR Lens / Up to 100' IR Range
- True 120dB Wide Dynamic Range
- Indoor Only

LA5VFDIR100IN
10384507



LA Series 5MP Multi Format Outdoor PTZ Camera

- 5MP Resolution (2560x1920) @20FPS
- 33X Optical Zoom (4.6 ~ 152mm)
- 12 High Power IR LED / 450' IR Range
- Digital Wide Dynamic Range
- 360° Endless Panning
- 128 Preset Positions
- 4 Tours - Up to 32 Presets
- 4 Alarm Inputs / 1 Outputs
- -40° Operating Temp
- Built-in Heater & Fan
- UTC & RS-485 Control
- IP66 Weatherproof

LA5PTZ33X
10384501



Liberty PTZ Mounting Accessories

Liberty IP & Analog PTZ Camera Mounts:

PTZ Pole Mount

For the following Cameras:

- L3IP4PTZ30XS
- LA5PTZ33X
- L3PTZJB Jct box



L3PTZPOLEMT
10384463

PTZ Corner Mount

For the following Cameras:

- L3IP4PTZ30XS
- LA5PTZ33X
- L3PTZJB Jct box



L3PTZCRNMT
10384464

PTZ Pendent Mount

For the following Cameras:

- L3IP4PTZ30XS
- LA5PTZ33X



L3PTZPENDMT
10384465

PTZ Junction Box

For the following Cameras:

- L3IP4PTZ30XS
- LA5PTZ33X



L3PTZJB
10384466

Liberty IP & Analog Camera Mounting Accessories

Liberty IP & Analog Camera Mounts:

Wall Mount

*Req. Camera Specific:
L3PC2, 3, 4, 5 or
L3PC6 Pendent Caps



L3HWM1
10384467

Pendent Mount

*Req. Camera Specific:
L3PC2, 3, 4, 5 or
L3PC6 Pendent Caps



L3CPM1
10384468

Pole Mount

For Wall Mount:
• L3HWM1
• L3JB1, 2, 3, 4, 5 or
L3JB6 Junction Boxes



L3POLEMT2
10384469

Liberty IP & Analog Camera Pendent Caps:

* Requires L3HWM1 or L3CPM1



Pendent Cap

For Cameras:
• L3IP4DS • L3IP4DS4
• L3IP8DS • L3IP8DS4

L3PC2
10384470



Pendent Cap

For Cameras:
• L3IP4TS/S4 • L3IP4TFCS,
• L3IP8TS/S4 • LA5TIR100
• LA5TFC100

L3PC3
10384471



Pendent Cap

For Camera:
• L3IP8WS

L3PC4
10384472



Pendent Cap

For Cameras:
• L3IP4VFDS • L3IP8VFDS
• LA5VFDIR100 • LA5VFDIR100IN

L3PC5
10384473



Pendent Cap

For Camera:
• L3IP8TFCS

L3PC6
10384474

Liberty IP & Analog Camera Junction Boxes:

Junction Box

For Cameras:
• L3IP4BS/8BS
• L3IP4VFBS/8VFBS
• LA5BIR80/BVFIR120/BFC60

L3JB1
10384475



Junction Box

For Cameras:
• L3IP4DS • L3IP4DS4
• L3IP8DS • L3IP8DS4

L3JB2
10384476



Junction Box

For Cameras:
• L3IP4TS/S4, L3IP4TFCS, L3IP8TS/S4
• LA5TIR80/TIR100/TFC100

L3JB3
10384477



Junction Box

For Camera:
• L3IP8WS

L3JB4
10384478



Junction Box

For Cameras:
• L3IP4VFDS • L3IP8VFDS
• LA5VFDIR100 • LA5VFDIR100IN

L3JB5
10384479



Junction Box

For Camera:
• L3IP8TFCS

L3JB6
10384480





LED Security Monitors

Liberty Standard and Widescreen Displays feature:

- NDAA & TAA Compliant
- Security Rated Panels
- LED Backlight
- Vesa Mounting
- Desk Stands Included
- HDMI & VGA Cables Included
- Audio Capable



4K 28" Widescreen LED Security Monitor

- DP, VGA & (3) HDMI
- 16:9 Aspect Ratio
- 4K / 3840 x 2160
- IR Remote

LSM4K28
10384516



17" Standard LED Security Monitor

- (2) HDMI, VGA & BNC
- 5:4 Aspect Ratio
- 1280 x 1024

LSM17ST
10384511



18.5" Widescreen LED Security Monitor

- (2) HDMI, VGA & BNC
- 16:9 Aspect Ratio
- 1366 x 768

LSM18
10384512



21.5" Widescreen LED Security Monitor

- (2) HDMI, VGA & BNC
- 16:9 Aspect Ratio
- 1920 x 1080
- IR Remote

LSM22R
10384513



23.6" Widescreen LED Security Monitor

- (2) HDMI, VGA & BNC
- 16:9 Aspect Ratio
- 1920 x 1080
- IR Remote

LSM24R
10384514



32" Widescreen LED Security Monitor

- (2) HDMI, VGA & BNC
- 16:9 Aspect Ratio
- 1920 x 1080
- IR Remote

LSM32R
10384515

Power Supplies

12 Volt DC and 24 Volt AC Power Supply, Transformer & Converter Features:

- Single and Multi Channel
- 1Amp to 10Amp Total Power
- Plug in, Brick and Metal Cabinet Options

1 Amp 12 Volt DC Power Supply

- 1 Amp Output
- UL/CUL Listed



L12VDC1A
10386292

2 Amp 12 Volt DC Power Supply

- 2 Amp Output
- UL/CUL Listed



L12VDC2A
10386293

4 Channel 5 Amp 12VDC Power Supply

- 4 Channel, 5 Amp
- PTC Fuse Protection



L12DC4C5AB
10386294

24 Volt AC 50 VA Plug-in Transformer

- Screw Terminal Connection
- Class II, UL Listed
- 120 Volt AC Input



L24AC50VA
10386298

4 Channel 5 Amp 12VDC Power Supply

- Metal Case
- Indoor Use
- 5 Amp Total, 1.25A/Ch Output



L12DC4C5AMC
10386295

9 Channel 10 Amp 12VDC Power Supply

- Metal Case
- Indoor Use
- 10 Amp Total, 1.1A/Ch Output



L12DC9C10AMC
10386296

18 Channel 10 Amp 12VDC Power Supply

- Metal Case
- Indoor Use
- 10 Amp Total, 560mA/Ch Output



L12DC18C10AMC
10386297

Power Accessories

12 Volt DC Connectors:

- Converts 12VDC Connector
- Bare Lead or Screw Terminal
- 12 Volt DC Male & Female Options

12VDC Male Bare Lead Adapter

- 12" Bare Lead
- Center Pin Positive
- 10-Pack



L12DCCRD10PK
10386281

12VDC Male Screw Terminal Connector

- Center Pin Positive
- 10-Pack



L12DCCON10PKM
10386283

12VDC Female Screw Terminal Connector

- Center Pin Positive
- 10-Pack



L12DCCON10PKF
10386282

24 Volt AC to 12 Volt DC Converter

- 20-30 VAC or 36 VDC Input
- 12 Volt, 1 Amp Max Output



L24ACTO12DC1A
10386289



HD Analog Video Accessories

Baluns, Ground Loop Corrector:

- For up to 5MP Cameras
- Supports TVI, CVI, AHD, 960H Formats
- Passive, No Power Required
- 350M (960H/720P)
- 250M (1080P)
- 200M (4MP-5MP)
- Converts Coax to UTP Cable
- Pass Through Power Only (LVPBPAIR)
- Eliminates Ground Loops (LGLC)

Video Balun with Bare Lead to 4" BNC Pigtail

- BNC Male to Screw Terminal

LVBPAIR
10386279



Video/Power Balun with RJ45 to 4" BNC Pigtail & Power Leads

- BNC Male to RJ-45
- DC Male & DC Female Power

LVPBPAIR
10386280



Video Ground Loop Corrector

- BNC Male to BNC Female Connections
- 12V rms Transient Voltage Suppressor
- 600VDC Isolation Voltage

LGLC
10386285



BNC Cables:

- For Video Applications
- PVC Jacket
- BNC to BNC

RG59U Patch Cable

- 3-Foot Cable Length
- BNC Male to Male

LBNC3F
10386290



RG59U Patch Cable

- 6-Foot Cable Length
- BNC Male to Male

LBNC6F
10386291



BNC Connectors and Adapters:

- Ideal for CCTV Applications
- Cable Type: RG59U
- Zinc Body with Copper Contacts



2-Piece Crimp Connector for RG59

LBNCRIMP10PK
10386284

- 10 Pack
- BNC Male



Twist-on Connector for RG59

LBNCTWIST10PK
10386286

- 10 Pack
- BNC Male



Female to Female Splice Connector

LBNCSPLICE5PK
10386287

- 5 Pack



1x BNC Male to 2x BNC Female Adapter

LBNCT5PK
10386288

- 5 Pack



BNC Female to RCA Male Adapter

LBNCFTORCAM5PK
10386277

- 5 Pack



BNC Male to RCA Female Adapter

LBNCMTORCAF5PK
10386278

- 5 Pack

Liberty 2024 Video Products

NVRs & IP Cameras

- 4, 8, 16 & 32 channel AI NVRs with POE
- Supports AI face, body & vehicle recognition
- 4MP and 8MP AI, POE Cameras
- Infrared & white light LED options
- Multiple popular housings



DVRs & HD Analog Cameras

- 4, 8 & 16 channel 5MP hybrid DVRs
- Compatible with TVI, CVI, AHD, formats
- All channels analog or IP
- 5MP HD analog cameras
- Infrared & white light LED options



Security Monitors

- Security rated panels for 24/7 use
- 17" to 32" screen size options
- 1080p & 4K resolutions
- Desktop stand included
- NDA A & TAA compliant

